


HƯỚNG DẪN XÓA
THIẾT BỊ RA KHỎI TÀI KHOẢN
EZVIZ
BẰNG SADP TOOL

1. SỬ DỤNG MÁY TÍNH CÀI PHẦN MỀM SADP TOOL



The screenshot displays the SADP tool interface. At the top left, it shows 'Total number of online devices: 1'. A table lists the device details:

ID	Device Type	Status	IPv4 Address	Port	Enhanced SDK Service Port	Software Version	IPv4 Gateway	HTTP P
001	DS-2CD2143G0-I	Active	192.168.1.200	8001	8443	V5.5.80build 180...	192.168.1.1	81

Buttons for 'Unbind', 'Export', and 'Refresh' are visible above the table. On the right, the 'Modify Network Parameters' panel includes options for 'Enable DHCP' and 'Enable Hik-Connect', and input fields for 'Device Serial No.', 'IP Address', 'Port', 'Enhanced SDK Service Port', 'Subnet Mask', 'Gateway', 'IPv6 Address', 'IPv6 Gateway', 'IPv6 Prefix Length', and 'HTTP Port'. A 'Security Verification' section contains an 'Admin Password' field and a 'Modify' button. A 'Forgot Password' link is located at the bottom right.

SADP tool

- SADP tool phiên bản V3.0.1.7 trở lên

-Link tải phần mềm: <http://www.hikvisionvietnam.vn>

2. XÓA THIẾT BỊ RA KHỎI TÀI KHOẢN CŨ

SADP

Total number of online devices: 60

Chọn “Unbind” → Unbind Export Refresh

ID	Device Type	Status	IPv4 Address	Port	Enhanced SDK Service Port	Software Version	IPv4 Gateway	HTTP
<input checked="" type="checkbox"/> 001	CS-CV206-C0-1A1WFR	Active	192.168.1.157	8000	N/A	V5.2.6build 1807...	192.168.1.1	80
<input type="checkbox"/> 002	CS-A1-32W	Active	192.168.1.181	8000	N/A	V1.9.1build 1804...	192.168.1.1	80
<input type="checkbox"/> 003	HDS-N7604I-SE	Active	192.168.1.23					8020
<input type="checkbox"/> 004	DS-7204HQHI-K1	Active	192.168.1.47					80
<input type="checkbox"/> 005	DS-6910	Active	192.168.1.10					80
<input type="checkbox"/> 006	DS-7204HQHI-F2/S	Active	192.168.1.10					89
<input type="checkbox"/> 007	DS-7732NI-I4	Active	192.168.1.23					88
<input type="checkbox"/> 008	DS-KV8402-IM	Active	192.168.2.99					80
<input type="checkbox"/> 009	DS-KV8402-IM	Active	192.168.2.90					80
<input type="checkbox"/> 010	DS-2DF8236I-AEL	Active	192.168.2.89					80
<input type="checkbox"/> 011	DS-2CD2T22WD-I8	Active	192.168.2.86	8000	N/A	V5.5.0build 1707...	192.168.1.1	80

Unbind Hik-Connect Account

User Name: admin

Password: ●●●●●●

Verification Code: YDGN Refresh

Confirm Cancel

Modify Network Parameters

Enable DHCP

Enable Hik-Connect

Device Serial No.: CS-CV206-C0-1A1WFR0020181103

IP Address: 192.168.1.157

Port: 8000

Subnet Mask: 255.255.255.0

Gateway: 192.168.1.1

IPv6 Address: ::

IPv6 Gateway: ::

IPv6 Prefix Length: 0

HTTP Port: 80

Security Verification

Nhập user name là: admin →

Nhập mật khẩu thiết bị →

Nhập mã xác thực →

Bấm “Confirm”

2. XÓA THIẾT BỊ RA KHỎI TÀI KHOẢN CŨ

SADP

Total number of online devices: **59**

Unbind **Export** Refresh

ID	Device Type	Status	IPv4 Address	Port	Enhanced SDK Service Port	Software Version	IPv4 Gateway	HTTP	
<input checked="" type="checkbox"/>	001	CS-CV206-C0-1A1WFR	Active	192.168.1.157	8000	N/A	V5.2.6build 1807...	192.168.1.1	80
<input type="checkbox"/>	002	HDS-N7604I-SE	Active	192.168.1.239	8022	N/A	V3.4.98build 171...	192.168.1.1	8020
<input type="checkbox"/>	003	DS-7204HQHI-K1	Active	192.168.1.47					80
<input type="checkbox"/>	004	DS-6910UDI	Active	192.168.1.58					80
<input type="checkbox"/>	005	DS-7208HUHI-F2/S	Active	192.168.1.10					89
<input type="checkbox"/>	006	DS-7732NI-I4	Active	192.168.1.23					88
<input type="checkbox"/>	007	DS-KV8402-IM	Active	192.168.2.99					80
<input type="checkbox"/>	008	DS-KV8402-IM	Active	192.168.2.90					80
<input type="checkbox"/>	009	DS-2DF8236I-AEL	Active	192.168.2.89					80
<input type="checkbox"/>	010	DS-2CD2T22WD-I8	Active	192.168.2.86					80
<input type="checkbox"/>	011	DS-2CD2T22WD-I8	Active	192.168.2.12	8000	N/A	V5.5.0build 1707...	192.168.1.1	81

Unbind Hik-Connect Account

User Name: admin

Password: [masked] ✓ Unbind succeeded.

Verification Code: S7Z3 Refresh

Confirm **Cancel**

Modify Network Parameters

Enable DHCP
 Enable Hik-Connect

Device Serial No.: CS-CV206-C0-1A1WFR0020181103

IP Address: 192.168.1.157

Port: 8000

Subnet Mask: 255.255.255.0

Gateway: 192.168.1.1

IPv6 Address: ::

IPv6 Gateway: ::

IPv6 Prefix Length: 0

HTTP Port: 80

Security Verification

Đã xóa thiết bị khỏi tài khoản cũ

XÓA TÀI KHOẢN EZVIZ

Thank you!